TK910: HSS Fundamentals

Duration

2.0 Days

Course Content

1. Home Subscriber Server Overview

- 1.1. Basic Concepts
  - 1.1.1. HSS Appearance
  - 1.1.2. HSS Description
- 1.2. HSS System Architecture
  - 1.2.1. HSS Functionalities
  - 1.2.2. Data in the HSS
    - 1.1.2.1. Administrable Subscriber Data
    - 1.1.2.2. Mobility Data
- 1.3. Protocols & Reference Points
  - 1.3.1. Diameter Protocol
  - 1.3.2. Mobile Application Part Protocol
  - 1.3.3. Procedures in HSS-IMS Environment
    - 1.3.3.1. Cx Procedures
    - 1.3.3.2 Dx Procedure
    - 1.3.3.3 Sh Procedures
    - 1.3.3.4 Dh Procedures
  - 1.3.4 Procedures in HSS-EPC Environment

1.3.4.1 S6a/S6d Procedures

1.3.4.2. Wx Procedures

1.3.4.3. SWx Procedures

1.3.5 HSS-HLR Interworking

1.3.5.1 Hd Call Flows

1.4. HSS – Database Interworking

1.4.1 User Data Convergence

1.4.2 Database Access Protocols

1.4.1.1 Lightweight Directory Access Protocol

1.4.1.2 Service Provisioning Markup Language

1.4.1.3 Simple Object Access Protocol

2. HSS-IMS Interworking

2.1. IMS Basic Concepts

2.1.1. IP Multimedia Subsystem Architecture

2.1.2. IP Multimedia Subsystem Identifiers

2.1.3. Call Session Control Functions

2.1.4. IP Multimedia Subsystem Core

2.1.5. Protocol Stacks

2.1.6. Authentication Schemas

2.1.6.1. HTTP Digest

2.1.6.2. AKA

2.1.6.3. AKAv1

2.1.6.4. AKAv2

2.2. HSS-IMS Procedures

Copyright © TEKonsult 2017

2.2.1. Cx Interface Procedures

2.2.1.1. User Authorization

2.2.1.2. Server Assignment

2.2.1.3. Location Retrieval

2.2.1.4. Multimedia Authentication

2.2.1.5. Registration Termination

2.2.1.6. Push Profile

2.2.1.7. IMS Restoration Procedures

2.2.2. Dx Interface Procedures

2.2.2.1. SLF Usage

2.2.3. Sh Interface Procedures

2.2.3.1. Read Transparent/Non Transparent Data

2.2.3.2. Update Transparent Data

2.2.3.3. Subscription For Notifications

2.2.3.4. Notifications Triggers

2.2.4. Dh Interface Procedures

2.2.4.1. SLF Usage

2.2.4.2. Proxy Usage

2.2.5. Zh Interface Procedures

2.2.5.1. General Bootstrapping Architecture

2.2.5.2. General Bootstrapping Architecture Procedure

2.2.5.3. General Bootstrapping Architecture Push Procedure

3. HSS-EPC Interworking

3.1. LTE/EPC Basic Concepts

Copyright © TEKonsult 2017

3.1.1. EPS Architecture

3.1.2. EPS Reference Points & Protocols

3.2. HSS-EPC Procedures

3.2.1. S6a/s6d Procedures

3.2.1.1. Update Location

3.2.1.2. Cancel Location

3.2.1.3. Purge UE

3.2.1.4. Insert Subscriber Data

3.2.1.5. Delete Subscriber Data

3.2.1.6. Authentication Information Retrieval

3.2.1.7. Reset

3.2.1.8. Notification

3.2.2. Wx Procedures

3.2.2.1. Authentication Vectors Retrieval

3.2.2.2. WLAN Registration Notification

3.2.2.3. Update of User Profile (HSS Initiated)

3.2.2.4. Retrieval of online charging / offline charging function addresses from HSS

3.2.2.5. WLAN Deregistration Notification

3.2.2.6. Network Initiated Deregistration

3.2.3. SWx Procedures

3.2.3.1. Authentication Vectors Retrieval

3.2.3.2. UE Registration Notification

3.2.3.3. AAA-initiated UE De-registration Notification

3.2.3.4. HSS-initiated UE De-registration Notification

Copyright © TEKonsult 2017

3.2.3.5. PDN GW Identity Notification from AAA Server

3.2.3.6. PDN GW Identity Notification from MME/SGSN

3.2.3.7. HSS-initiated User Profile Update Procedure

3.2.3.8. AAA-initiated Provide User Profile Procedure

Copyright © TEKonsult 2017