

TK911: HSS for LTE

Duration

1.0 Days

Course Content

1. Home Subscriber Server Overview

1.1. Basic Concepts

1.1.1. HSS Appearance

1.1.2. HSS Description

1.2. HSS System Architecture

1.2.1. HSS Functionalities

1.2.2. Data in the HSS

1.1.2.1. Administrable Subscriber Data

1.1.2.2. Mobility Data

1.3. Protocols & Reference Points

1.3.1. Diameter Protocol

1.3.2. Mobile Application Part Protocol

1.3.3. Procedures in HSS-IMS Environment

1.3.3.1. Cx Procedures

1.3.3.2 Dx Procedure

1.3.3.3 Sh Procedures

1.3.3.4 Dh Procedures

1.3.4 Procedures in HSS-EPC Environment

1.3.4.1 S6a/S6d Procedures

1.3.4.2. Wx Procedures

1.3.4.3. SWx Procedures

1.3.5 HSS-HLR Interworking

1.3.5.1 Hd Call Flows

1.4. HSS – Database Interworking

1.4.1 User Data Convergence

1.4.2 Database Access Protocols

1.4.1.1 Lightweight Directory Access Protocol

1.4.1.2 Service Provisioning Markup Language

1.4.1.3 Simple Object Access Protocol

2. HSS-EPC Interworking

2.1. LTE/EPC Basic Concepts

2.1.1. EPS Architecture

2.1.2. EPS Reference Points & Protocols

2.2. HSS-EPC Procedures

2.2.1. S6a/s6d Procedures

2.2.1.1. Update Location

2.2.1.2. Cancel Location

2.2.1.3. Purge UE

2.2.1.4. Insert Subscriber Data

2.2.1.5. Delete Subscriber Data

2.2.1.6. Authentication Information Retrieval

2.2.1.7. Reset

2.2.1.8. Notification

2.2.2. Wx Procedures

2.2.2.1. Authentication Vectors Retrieval

2.2.2.2. WLAN Registration Notification

2.2.2.3. Update of User Profile (HSS Initiated)

2.2.2.4. Retrieval of online charging / offline charging function addresses from HSS

2.2.2.5. WLAN Deregistration Notification

2.2.2.6. Network Initiated Deregistration

2.2.3. SWx Procedures

2.2.3.1. Authentication Vectors Retrieval

2.2.3.2. UE Registration Notification

2.2.3.3. AAA-initiated UE De-registration Notification

2.2.3.4. HSS-initiated UE De-registration Notification

2.2.3.5. PDN GW Identity Notification from AAA Server

2.2.3.6. PDN GW Identity Notification from MME/SGSN

2.2.3.7. HSS-initiated User Profile Update Procedure

2.2.3.8. AAA-initiated Provide User Profile Procedure